



RAPTOR

OUTILS & FIXATIONS



BMI

BROCHEUSES MONTRÉAL INC.

Fastener Type

RAPTOR® SH/05

16 Gauge Composite Staple



Part

SH/05-37 3/8" - 9.5mm

SH/05-55 9/16" - 14mm

Packaging

SH/05-37 : 5040 staples per box
SH/05-55 : 4200 staples per box • 20 boxes per case

BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**

APPLICATIONS

Lumber wrap
Lumber tagging
Boatbuilding
Fiberglass lay up
Composites manufacturing
Radiant barrier installation
Wire installation
House wrap
Casket lining
Casegoods tagging

TOOLS

Pneumatic:
OMER 82P Series

Manual:
RAPTOR® G-3PS
Hammer Tacker (max 7/16")

RAPTOR® CT-H7000P
Compression Tacker

Material Grades:

Standard Material: Provides the best drivability. It is not recommended for high speed steel moulder knives but it is fine for carbide blades. In one particular customer test, Titan V24RW, BB knives were used with our standard RAPTOR® product fastened in a line and the knives showed no signs of damage.

LF Material: Safe for most moulder blades but drivability is somewhat compromised.

NF Material: Safe for all delicate blades but drivability is somewhat compromised.

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.



www.raptornails.com • 512.846.4027 • Utility Composites Inc

Fastener Type


RAPTOR® S/05 Composite

19 Gauge Staples



Part #			
S/05-25	1/4" -	1/2" 12.5mm	- 6.4mm
S/05-37	3/8" -		- 9.5mm
S/05-55	9/16" -		- 14mm

Packaging: 5040 staples per box • 20 boxes per case



BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**

APPLICATIONS

Lumber wrap
Lumber tagging
Boatbuilding
Fiberglass lay-up
Composites manufacturing
Radiant barrier installation
House wrap
Casket lining
Casegoods tagging

TOOLS

Pneumatic:
OMER 81P Series

Manual:
RAPTOR® G-3PS
RAPTOR® CT-6000P

Material Grades:

Standard Material: Provides the best drivability. It is not recommended for high speed steel moulder knives but it is fine for carbide blades. In one particular customer test, Titan V24RW, BB knives were used with our standard RAPTOR® product fastened in a line and the knives showed no signs of damage.

LF Material: Safe for most moulder blades but drivability is somewhat compromised.

NF Material: Safe for all delicate blades but drivability is somewhat compromised.

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.




www.raptornails.com • 512.846.4027 • Utility Composites Inc


Fastener Type

RAPTOR® SH/04

16 Gauge Composite Staple



Packaging: 5040 staples per box • 20 boxes per case



BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**

APPLICATIONS

Lumber wrap
Lumber tagging
Boatbuilding
Fiberglass lay up
Composites manufacturing
Radiant barrier installation
Wire installation
House wrap
Casket lining
Casegoods tagging

TOOLS

Pneumatic:

OMER 83P Series
RC-SH/04 Cap Stapler

Manual:

RAPTOR® G-3PS
Hammer Tacker (<9/16")
RAPTOR® CT-H7000P
Compression Tacker (<9/16")

Material Grades:

Standard Material: Provides the best drivability. It is not recommended for high speed steel moulder knives but it is fine for carbide blades. In one particular customer test, Titan V24RW, BB knives were used with our standard RAPTOR® product fastened in a line and the knives showed no signs of damage.

LF Material: Safe for most moulder blades but drivability is somewhat compromised.

NF Material: Safe for all delicate blades but drivability is somewhat compromised.

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.



www.raptornails.com • 512.846.4027 • Utility Composites Inc

Fastener Type


RAPTOR® P/18 Composite

18 Gauge Pin Nails



1.1 mm → | ← .044"

		Part #
11 mm -	- 7/16"	P/18-044
16 mm -	- 5/8"	P/18-063
20 mm -	- 3/4"	P/18-080
25 mm -	- 1"	P/18-100



Packaging: 2000 nails per box • 32 boxes per case

BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**
- ✓ **No need to putty**

APPLICATIONS

Glazing bead
Cabinets
Doors
Carvings
Decorative trim
Molding
Picture Frames
Woodworking

TOOLS

OMER RI.25P

Maximum holding power of the RAPTOR® fasteners is achieved with shorter nails, compared to metal fasteners.

Material Grades:

Standard Material: Provides the best drivability. It is not recommended for high speed steel moulder knives but it is fine for carbide blades. In one particular customer test, Titan V24RW, BB knives were used with our standard RAPTOR product fastened in a line and the knives showed no signs of damage.

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.



www.raptornails.com • 512.846.4027 • Utility Composites Inc

Fastener Type

RAPTOR® F/15 & F/14


15 & 14 Gauge Composite Finish Nails



3.0 mm - 1/8"

		Part #
12 mm -	- 1/2"	F/15-050 CP
16 mm -	- 5/8"	F/15-063 CP
19 mm -	- 3/4"	F/15-075 CP
25 mm -	- 1"	F/15-100 CP
32 mm -	- 1 1/4"	F/15-125 CP
38 mm -	- 1 1/2"	F/15-150 CP
51 mm -	- 2"	F/15-200
57 mm -	- 2 1/4"	F/14-225 (14Ga)

CP=Chisel Point



Packaging: 2350 nails / box - 16 boxes / case

BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**
- ✓ **No need to putty**

APPLICATIONS

Doors
Furniture
Windows
Boatbuilding
CNC cutting
Woodworking
Cabinet doors
Cellular PVC trim
Casket manufacturing

TOOLS

OMER 17P.32
(≤1 1/4" / 32mm)

OMER B17P.763

Maximum holding power of the RAPTOR® F/15 & F/14 fasteners is achieved with about 3/8" penetration into the substrate. Longer nails could cause poorer drivability.

Material Grades:

Standard Material: Provides the best drivability. It is not recommended for high speed steel moulder knives but it is fine for carbide blades. In one particular customer test, Titan V24RW, BB knives were used with our standard RAPTOR product fastened in a line and the knives showed no signs of damage.

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times. Natural color is a standard, stock product.



www.raptornails.com • 512.846.4027 • Utility Composites Inc



15 Gauge Composite Finish Nails for Hard Woods

New RAPTOR® XF composite fasteners improve upon the standard RAPTOR® fasteners by providing better drivability. RAPTOR® XF significantly improves drivability in harder woods when compared to our standard RAPTOR® product without sacrificing the benefits gained with our standard products.

RAPTOR® XF fasteners are recommended for wood-working professionals who need better performance from RAPTOR® when working with harder woods.

With RAPTOR® XF, woodworkers will realize improved work efficiencies, less down time, and greater cost savings.



BENEFITS

- ✓ Bonds Like Glue
- ✓ No need to putty
- ✓ Completely Non-Metal
- ✓ Never Rusts or Corrodes
- ✓ Sawable, Sandable & Planeable
- ✓ Significantly improved drivability

APPLICATIONS

Furniture
Cellular PVC Trim
Boatbuilding
CNC cutting
Woodworking
Full size doors
Casket manufacturing

Lengths	Part #	Tools
25 mm / 1"	F/15-100CP XF	OMER 17P.32 (≤1¼" / 32mm) OMER B17P.763
32 mm / 1¼"	F/15-125CP XF	
38 mm / 1½"	F/15-150CP XF	
	CP=Chisel Point	
Packaging: 2350 nails / box • 16 boxes / case		

XF material is not recommended for high speed steel moulder knives.



B/18-044
B/18-063
B/18-080
B/18-100

BRADS 18g

B/18-044	7/16"	—	—	11mm
B/18-063	5/8"	—	—	16mm
B/18-080	3/4"	—	—	20mm
B/18-100	1"	—	—	25mm

Calibre :
18

Longueur :
7/16"
5/8"
3/4"
1"

Diamètre :
0,044"

Emballage :
2000
clous/boîte
32
boîtes/caisse

Cloueuse
pneumatique OMER®

12P.25H Cloueuse
pneumatique OMER
® 12.20P Cloueuse
pneumatique

OMER® 12P.25-CL4-
1
pour automatisation
montée

Fastener Type

RAPTOR® P/16 Composite

16 Gauge Pin Nails



1.4 mm → | ← .055"

		Part #
11 mm -	- 7/16"	P/16-044
16 mm -	- 5/8"	P/16-063
19 mm -	- 3/4"	P/16-075



Packaging: 2500 nails / box • 16 boxes / case

BENEFITS

- ✓ **Sawable, Sandable & Planeable**
- ✓ **Never Rusts or Corrodes**
- ✓ **Bonds Like Glue**
- ✓ **Completely Non-Metal**
- ✓ **No need to putty**

APPLICATIONS

Doors
Molding
Carvings
Glazing bead
Cabinet doors
Picture frames
Woodworking
Decorative trim

TOOLS

OMER R14.25P

Maximum holding power of RAPTOR® fasteners is achieved with shorter nails, compared to metal fasteners.

Material Grades:

Standard Material: Provides the best drivability. It is not recommended for high speed steel moulder knives but it is fine for carbide blades. In one particular customer test, Titan V24RW, BB knives were used with our standard RAPTOR® product fastened in a line and the knives showed no signs of damage.

Colors: RAPTOR® fasteners are available in colors such as White, Brown, Redwood, Cedar, Blue, Red and Gray. Please contact us for minimum order requirements and lead times.



raptornails.com • 512.846.4027 • Utility Composites Inc




16 Gauge Composite Pin Nails for Hard Woods

New RAPTOR® XF composite fasteners improve upon the standard RAPTOR® fasteners by providing better drivability. RAPTOR® XF significantly improves drivability in harder woods when compared to our standard RAPTOR® product without sacrificing the benefits gained with our standard products.

RAPTOR® XF fasteners are recommended for wood-working professionals who need better performance from RAPTOR® when working with harder woods.

With RAPTOR® XF, woodworkers will realize improved work efficiencies, less down time, and greater cost savings.



BENEFITS

- ✓ Bonds Like Glue
- ✓ No need to putty
- ✓ Completely Non-Metal
- ✓ Never Rusts or Corrodes
- ✓ Sawable, Sandable & Planeable
- ✓ Significantly improved drivability

APPLICATIONS

Carvings
Furniture
Molding
Glazing bead
Picture frames
Cabinet doors
Woodworking
Decorative trim

Length	Part #	Tool
16 mm / ⁵ / ₈ "	P/16-063 XF	OMER R14.25P
20 mm / ³ / ₄ "	P/16-075 XF	
Packaging: 2500 nails / box · 16 boxes / case		

XF material is not recommended for high speed steel moulder knives.



raptornails.com • 512.846.4027 • Utility Composites Inc

Fastener Type

RAPTOR® CLAMP NAILS



Part#

CL-050 12.5mm - 1/2"

CL-100 25mm - 1"

CL-275 70mm - 2 3/4"

CL-400 70mm - 4"



Packaging: 100 nails / box • 20 boxes / case

BENEFITS

- ✓ **Rapid, easy assembly**
- ✓ **Save money on abrasives**
- ✓ **Eliminate costly machine damage**
- ✓ **Sawable, sandable, planeable**
- ✓ **Never rust or corrodes**
- ✓ **Completely non-metal**
- ✓ **Draws mitered corners tight**

APPLICATIONS

Doors
Furniture
Orthodox caskets
Windows
Connect mitered corners of frames

TOOLS

Palm nailer
w/clamp nail nose



www.raptornails.com • 512.846.4027 • Utility Composites Inc

Fastener Type

RAPTOR® Snap Stud



BENEFITS

- ✓ No corrosion: will not fuse with snap socket
- ✓ No electrolysis: compatible with aluminum, steel or composite
- ✓ UV stable: long life
- ✓ Black or off-white color matches boat
- ✓ Never rusts or corrodes
- ✓ Completely non-metal

APPLICATIONS




Use with stainless steel snap sockets to attach

- Canvas
- Carpet
- Protective Covers


Packaging: 100 pieces per box • 20 boxes per case

Fastener Type

RAPTOR® Copula



Packaging: 350 pieces per box • 20 boxes per case



BENEFITS

- ✓ Joins core material securely
- ✓ Repositionable
- ✓ Not visible at the surface
- ✓ Compatible with composite resins
- ✓ Clamping or gluing are not necessary
- ✓ Rapid, easy assembly
- ✓ No tools required
- ✓ Never rusts or corrodes
- ✓ Completely non-metal

APPLICATIONS



Foam joinery
Balsa core joinery



www.raptornails.com • 512.846.4027 • Utility Composites Inc



Fastener Type **RAPTOR® SPIKE-6 Nail**



Packaging: 100 nails per box • 12 boxes per case

BENEFITS

- ✓ **Will Not Damage Mower Blades**
- ✓ **Never Rusts or Corrodes**
- ✓ **Completely Non-Metal**

APPLICATIONS

Athletic field marking
Golf course marking
Turf attachment

TOOLS


Hammer



Fastener Type

BLACK MAGIC® S/05 Composite 19 Gauge Tire Retread Staple

Part #
S/05-37TR



BENEFITS

- ✓ Melts during cure cycle
- ✓ No staple removal
- ✓ No cut or abrasion marks from removing
- ✓ Eliminates envelope puncture and wear
- ✓ Fewer tire re-runs
- ✓ Fewer tire in-service failures
- ✓ Completely non-metal
- ✓ No metal staples littering the floor

APPLICATIONS

Tire splice
Bench splice
Wick pad
Poly film
Tire tags

TOOLS

Pneumatic:
OMER 81P Series
RAPTOR® S05F Series





OMER 81P Series Stapler

The 81P pneumatic stapler drives BLACK MAGIC® 19 gauge, 3/8" composite tire retread staples. It is extremely fast, lightweight, well-balanced and rugged.

It is offered in a standard-length magazine and a long magazine version for operators who prefer less reloading.

The 81P is also offered with a trigger safety or with a contact trip safety to reduce the possibility of accidental firing.



TECHNICAL DATA

Model	81P	81PS	81PCL	81PSCL
Magazine capacity	70 staples	70 staples	175 staples	175 staples
Operating air pressure	60 – 90 psi (4 – 6 bar)			
Dimensions LxWxH	8.5" x 1.7" x 5.8" (216 x 43 x 148mm)	8.5" x 1.7" x 5.8" (216 x 43 x 148mm)	13.8" x 1.7" x 5.8" (350 x 43 x 148mm)	13.8" x 1.7" x 5.8" (350 x 43 x 148mm)
Weight	1.9 lb (0.9 kg)	1.9 lb (0.9 kg)	2.4 lb (1.1 kg)	2.4 lb (1.1 kg)
Safety	Trigger	Contact	Trigger	Contact



RAPTOR® S05F Stapler

The S05F pneumatic stapler drives BLACK MAGIC® 19 gauge, 3/8" composite tire retread staples. It is an extremely fast, comfortable, lightweight and maneuverable, well-balanced, sturdy and durable tool built for industrial production applications.



TECHNICAL DATA


Model	RAPTOR® S05F	RAPTOR® S05F LM
Magazine capacity	90 staples	180 staples
Operating air pressure	65 – 100 psi (4.5 – 7 bar)	65 – 100 psi (4.5 – 7 bar)
Dimensions LxWxH	8.5" x 1.7" x 5.7" (216 x 43 x 145mm)	14.8" x 1.7" x 6.2" (376 x 42 x 157mm)
Weight	1.9 lb (0.9 kg)	2.2 lb (.99 kg)
Safety	Trigger	Trigger



Fastener Type

BLACK MAGIC® SH/05 Composite 16 Gauge Tire Retread Staple

Part #
SH/05-55TR



BENEFITS

- ✓ Melts during cure cycle
- ✓ No staple removal
- ✓ No cut or abrasion marks from removing
- ✓ Eliminates envelope puncture and wear
- ✓ Fewer tire re-runs
- ✓ Fewer in-service failures
- ✓ Completely non-metal
- ✓ No metal staples littering the floor

APPLICATIONS

Tire splice
Bench splice
Wick pad
Poly film
Tire tags

TOOLS

Pneumatic:
OMER 82P Series





OMER 82P Series Stapler

The 82P stapler drives BLACK MAGIC® 16 gauge, 9/16" composite tire retread staples. It is extremely fast, lightweight, well-balanced and rugged.

It is offered in a standard-length magazine and a long magazine version for operators who prefer less reloading.

The 82P is also offered with a trigger safety or with a contact trip safety to reduce the possibility of accidental firing.



TECHNICAL DATA


Model	82P	82PS	82PCL	82PSCL
Magazine capacity	60 staples	60 staples	120 staples	120 staples
Operating air pressure	60 – 90 psi (4 – 6 bar)			
Dimensions LxWxH	8.5" x 1.7" x 5.8" 216 x 43 x 148mm	8.5" x 1.7" x 5.8" 216 x 43 x 148mm	13.8" x 1.7" x 5.8" 350 x 43 x 148mm	13.8" x 1.7" x 5.8" 350 x 43 x 148mm
Weight	1.9 lb (0.9 kg)	1.9 lb (0.9 kg)	2.4 lb (1.1 kg)	2.4 lb (1.1 kg)
Safety	Trigger	Contact	Trigger	Contact



Fastener Type

BLACK MAGIC® S/05 Composite 19 Gauge Tire Retread Staple

Part #
S/05-37TR



BENEFITS

- ✓ Melts during cure cycle
- ✓ No staple removal
- ✓ No cut or abrasion marks from removing
- ✓ Eliminates envelope puncture and wear
- ✓ Fewer tire re-runs
- ✓ Fewer tire in-service failures
- ✓ Completely non-metal
- ✓ No metal staples littering the floor

APPLICATIONS

Tire splice
Bench splice
Wick pad
Poly film
Tire tags

TOOLS

Pneumatic:
OMER 81P Series
RAPTOR® S05F Series





OMER 81P Series Stapler

The 81P pneumatic stapler drives BLACK MAGIC® 19 gauge, 3/8" composite tire retread staples. It is extremely fast, lightweight, well-balanced and rugged.

It is offered in a standard-length magazine and a long magazine version for operators who prefer less reloading.

The 81P is also offered with a trigger safety or with a contact trip safety to reduce the possibility of accidental firing.



TECHNICAL DATA

Model	81P	81PS	81PCL	81PSCL
Magazine capacity	70 staples	70 staples	175 staples	175 staples
Operating air pressure	60 – 90 psi (4 – 6 bar)			
Dimensions LxWxH	8.5" x 1.7" x 5.8" (216 x 43 x 148mm)	8.5" x 1.7" x 5.8" (216 x 43 x 148mm)	13.8" x 1.7" x 5.8" (350 x 43 x 148mm)	13.8" x 1.7" x 5.8" (350 x 43 x 148mm)
Weight	1.9 lb (0.9 kg)	1.9 lb (0.9 kg)	2.4 lb (1.1 kg)	2.4 lb (1.1 kg)
Safety	Trigger	Contact	Trigger	Contact



RAPTOR® S05F Stapler

The S05F pneumatic stapler drives BLACK MAGIC® 19 gauge, 3/8" composite tire retread staples. It is an extremely fast, comfortable, lightweight and maneuverable, well-balanced, sturdy and durable tool built for industrial production applications.



TECHNICAL DATA


Model	RAPTOR® S05F	RAPTOR® S05F LM
Magazine capacity	90 staples	180 staples
Operating air pressure	65 – 100 psi (4.5 – 7 bar)	65 – 100 psi (4.5 – 7 bar)
Dimensions LxWxH	8.6" x 1.7" x 5.9" (216 x 43 x 145mm)	14.8" x 1.7" x 6.2" (376 x 42 x 157mm)
Weight	1.9 lb (0.9 kg)	2.2 lb (.99 kg)
Safety	Trigger	Trigger



Fastener Type

BLACK MAGIC® SH/05 Composite 16 Gauge Tire Retread Staple

Part #
SH/05-55TR



BENEFITS

- ✓ Melts during cure cycle
- ✓ No staple removal
- ✓ No cut or abrasion marks from removing
- ✓ Eliminates envelope puncture and wear
- ✓ Fewer tire re-runs
- ✓ Fewer in-service failures
- ✓ Completely non-metal
- ✓ No metal staples littering the floor

APPLICATIONS

Tire splice
Bench splice
Wick pad
Poly film
Tire tags

TOOLS

Pneumatic:
OMER 82P Series





OMER 82P Series Stapler

The 82P stapler drives BLACK MAGIC® 16 gauge, 9/16" composite tire retread staples. It is extremely fast, lightweight, well-balanced and rugged.

It is offered in a standard-length magazine and a long magazine version for operators who prefer less reloading.

The 82P is also offered with a trigger safety or with a contact trip safety to reduce the possibility of accidental firing.



TECHNICAL DATA

Model	82P	82PS	82PCL	82PSCL
Magazine capacity	60 staples	60 staples	120 staples	120 staples
Operating air pressure	60 – 90 psi (4 – 6 bar)			
Dimensions LxWxH	8.5" x 1.7" x 5.8" 216 x 43 x 148mm	8.5" x 1.7" x 5.8" 216 x 43 x 148mm	13.8" x 1.7" x 5.8" 350 x 43 x 148mm	13.8" x 1.7" x 5.8" 350 x 43 x 148mm
Weight	1.9 lb (0.9 kg)	1.9 lb (0.9 kg)	2.4 lb (1.1 kg)	2.4 lb (1.1 kg)
Safety	Trigger	Contact	Trigger	Contact



Timber Processing

POLYMER COMPOSITE STAPLES

APPLICATIONS

Lumber Wrapping
Log Tagging
Load Tagging
Lumber Tagging



BENEFITS & FEATURES

- ✓ Completely non-metal
- ✓ No need to remove
- ✓ Won't trip metal detectors
- ✓ Won't rust or stain lumber
- ✓ Won't damage blades or tools
- ✓ Stronger tensile holding power than similar sized metal staples
- ✓ RF & microwave safe
- ✓ Safe for kraft pulping process
- ✓ Driving performance & strength are unaffected by extreme temperatures
- ✓ No sparking hazard
- ✓ RAPTOR® staples & patented caps provide a rust free, moisture resistant strain relief fastening system for lumber wrap

RAPTOR® S/05 Composite 19 Gauge Staples

Part #		1/2" 12.5mm	
S/05-25	1/4"	-	6.4mm
S/05-37	3/8"	-	9.5mm
S/05-55	9/16"	-	14mm

Packaging: 5040 staples per box • 20 boxes per case

Required Tools



OMER 81P Series



CT-6000P Tacker



Timber Tagger w/OMER 81P

Purchase at
www.timbertagger.com



G-3PS Hammer Tacker <9/16"

RAPTOR® SH/05 Composite 16 Gauge Staples

Part #		1/2" 12.5mm	
SH/05-37	3/8"	-	9.5mm
SH/05-55	9/16"	-	14mm

Packaging
SH/05-37 : 5040 staples per box
SH/05-55 : 4200 staples per box • 20 boxes per case

Required Tools



OMER 82P Series



G-3PS Hammer Tacker <9/16"



CT-H7000P

RAPTOR® SH/04 Composite 16 Gauge Staples

Part#		7/16" 11mm	
SH/04-40	7/16"	-	11mm
SH/04-58	9/16"	-	14mm

Packaging: 5040 staples per box • 20 boxes per case

Required Tools



OMER 83P Series



G-3PS Hammer Tacker <9/16"



RC-SH04 Cap Stapler



CT-H7000P
<9/16"

